INDEX

TO VOLUME 37

SUBJECT INDEX

Abortion
Abortion not taught here, FYI, p. 60.

Advanced practice clinicians' interest in providing medical abortion: results of a California survey, Hwang AC, Koyama A, Taylor D, Henderson JT and Miller S, p. 92.

In certain circumstances, women in prenatal care would not rule out having an abortion in the future, Digest, p. 203.

Mum's the word? Could mean trouble, FYI, p. 108.

Reasons U.S. women have abortions: quantitative and qualitative perspectives, Finer LB, Frohwirth LF, Dauphinee LA, Singh S and Moore AM, p. 110.

The church's holy war, FYI, p. 61.

Barrier Methods
Consistency of condom use among low-income hormonal contraceptive users, see **Contraceptive Practice.**

Correlates of partner-specific condom use intentions among incarcerated women in Rhode Island, Rosengard C, Clarke JG, DaSilva K, Hebert M, Rose J and Stein MD, p. 32.

For male and female condoms, failure rates fall as users' experience grows, Digest, p. 103.

Public opinion about condoms for HIV and STD prevention: a Midwestern state telephone survey, see **Public Opinion.**

Score one for the condom, FYI, p. 164.

Social-cognitive predictors of consistent condom use among young people in Moscow, see **Contraceptive Practice.**

Some studies may underestimate condom's role in STD prevention, Digest, p. 155.

Contraceptive Practice
Consistency of condom use among low-income hormonal contraceptive users, Sangi-Haghpeykar H, Posner SF and Poindexter AN III, p. 184.

Social-cognitive predictors of consistent condom use among young people in Moscow, Bobrova N, Sergeev O, Grechukhina T and Kapiga S, p. 174.

Emergency Contraception
Availability of services for emergency contraceptive pills at high school–based health centers, McCarthy SK, Telljohann SK, Coventry B and Price J, p. 70.

Emergency contraceptive pills: dispensing practices, knowledge and attitudes of South Dakota pharmacists, Van Riper KK and Hellerstedt WL, p. 19.

Emergency preparedness, FYI, p. 4.

Finding EC is not easy, FYI, p. 109.

Nonprescription access has not raised UK women's reliance on emergency pills, Digest, p. 204.

The medium muddles the message, FYI, p. 60.

Europe
Nonprescription access has not raised UK women's reliance on emergency pills, see **Emergency Contraception.**

Social-cognitive predictors of consistent condom use among young people in Moscow, see **Contraceptive Practice.**

Evaluation of Programs
Evaluation of a peer provider reproductive health service model for adolescents, Brindis CD, Peterson Geierstanger S, Wilcox N, McCarter V and Hubbard A, p. 85.

Saving Sex for Later: an evaluation of a parent education intervention, O'Donnell L, Stueve A, Agronick G, Wilson-Simmons R, Duran R and Jeanbaptiste V, p. 166.

Government Policy, Programming and Funding
Almost complete guidelines, FYI, p. 4.

Meeting ICPD goals (or not), FYI, p. 4.

Hormonal Implants and Injectables
Consistency of condom use among low-income hormonal contraceptive users, see **Contraceptive Practice.**

Injectable use may increase women's odds of getting chlamydia or gonorrhea, Digest, p. 49.

Intrauterine Devices
Good news about an IUD, FYI, p. 164.

Law and Policy
Cost of no confidentiality, see **Teenagers.**

Pregnancy intention from men's perspectives: does child support enforcement matter? see **Males.**

Males
Pregnancy intention from men's perspectives: does child support enforcement matter? Huang C-C, p. 119.

Maternal and Child Health
For pregnant women, silence on domestic violence speaks loudly, Digest, p. 203.

Infant deaths in the 'hood, FYI, p. 5.

Infants' birth weight may be jeopardized when women become unemployed or underemployed while pregnant, Digest, p. 202.

Low-birth-weight risk and mother's nativity status: associations vary by race, ethnicity and education, Digest, p. 99.

Pregnancy planning status and health behaviors among nonpregnant women in a California managed health care organization, Green-Raleigh K, Lawrence JM, Chen H, Devine O and Prue C, p. 179.

Prepregnancy health status has strong associations with preterm delivery risk, Digest, p. 104.

Slowly, a gap closes, FYI, p. 109.

Women 30–39 have greatest risk of poor birth outcomes if jailed while pregnant, Digest, p. 48.

Oral Contraceptives
A little bit of pill use can go a long way, FYI, p. 165.

Endometriosis raises ovarian cancer risk, but pill use remains protective, see **Reproductive Health.**

Pregnancy and Childbirth
Blood clots in pregnancy, FYI, p. 165.

Likelihood that cesarean may have been unneeded differs by women's race, Digest, p. 158.

Rapid HIV test offered to women in labor proves acceptable and reliable, Digest, p. 52.

Public Opinion
Abortion support slipping, FYI, p. 60.

Many parents of teenagers think parental involvement laws will increase risks, see **Teenagers.**

Public opinion about condoms for HIV and STD prevention: a Midwestern state telephone survey, Yarber WL, Milhausen RR, Crosby RA and Torabi MR, p. 148.

Reproductive Health
Endometriosis raises ovarian cancer risk, but pill use remains protective, Digest, p. 52.

Evidence supporting the notion that bacterial vaginosis can be transmitted sexually continues to accumulate, Digest, p. 206.

Poor knowledge regarding the Pap test among low-income women undergoing routine screening, Breitkopf CR, Pearson HC and Breitkopf DM, p. 78.

Talk what talk? FYI, p. 165.

Service Providers
Advanced practice clinicians' interest in providing medical abortion: results of a California survey, see **Abortion.**

Availability of services for emergency contraceptive pills at high school–based health centers, see **Emergency Contraception.**

Cultural sensitivity and research involving sexual minorities, Bauer GR and Wayne LD, Viewpoint, p. 45.

Emergency contraceptive pills: dispensing practices, knowledge and attitudes of South Dakota pharmacists, see **Emergency Contraception.**

Full moon: uh-oh? FYI, p. 108.

Gonorrhea and chlamydia infection among women visiting family planning clinics: racial variation in prevalence and predictors, see **Sexually Transmitted Diseases.**

Opportunities for action: addressing Latina sexual and reproductive health, Foulkes R, Donoso R, Fredrick B, Frost J and Singh S, Special Report, p. 39.

What's a pediatrician to do? FYI, p. 108.

Sex Education
Worksite-based parenting programs to promote healthy adolescent sexual development: a qualitative study of feasibility and potential content, see **Teenagers.**

Sexual Behavior
Adolescent partner-type experience: psychosocial and behavioral differences, see **Teenagers.**

Computer-age interviewing, FYI, p. 5.

Correlates of partner-specific condom use intentions among incarcerated women in Rhode Island, see **Barrier Methods.**

Is meth worth the worry? FYI, p. 109.

Is Viagra a club drug? FYI, p. 164.

Many young teenagers consider oral sex more acceptable and less risky than vaginal intercourse, see **Teenagers.**

Neighborhood context and sexual behaviors among adolescents: findings from the National Longitudinal Study of Adolescent Health, see **Teenagers.**

Sexual intentions of black preadolescents: associations with risk and adaptive behaviors, see **Teenagers.**

Sexual practices, risk perception and knowledge of sexually transmitted disease risk among lesbian and bisexual women, Marrazzo JM, Coffey P and Bingham A, p. 6.

Social factors may explain why youth who move are at risk of sexual initiation, see **Teenagers.**

The human costs of sex, FYI, p. 61.

Unprotected anal sex is not uncommon among men with HIV infection, Digest, p. 51.

Young women victimized in adolescence are at risk of further sexual violence, see **Teenagers.**

Youth assets and sexual risk behavior: the importance of assets for youth residing in one-parent households, see **Teenagers.**

Sexually Transmitted Diseases
Adding a skills-based component to STD prevention efforts may increase their success among teenagers, see **Teenagers.**

Detention facilities offer a window to screen youth at high risk for STDs, Digest, p. 100.

Evidence supporting the notion that bacterial vaginosis can be transmitted sexually continues to accumulate, see **Reproductive Health.**

Gonorrhea and chlamydia infection among women visiting family planning clinics: racial variation in prevalence and predictors, Einwalter LA, Ritchie JM, Ault KA and Smith EM, p. 135.

HAART can be hard, FYI, p. 165.

HIV: who should be tested? FYI, p. 109.

Hospital-based clinic visits by women seldom include routine screening for STDs, Digest, p. 101.

Injectable use may increase women's odds of getting chlamydia or gonorrhea, see **Hormonal Implants and Injectables.**

Just between us women…, FYI, p. 4.

More prevention latitude, FYI, p. 61.

New look at trichomoniasis, FYI, p. 165.

Odds of penile HPV are reduced for circumcised men and condom users, Digest, p. 49.

Parents say yes to vaccine, FYI, p. 61.

Public opinion about condoms for HIV and STD prevention: a Midwestern state telephone survey, see **Public Opinion.**

Rapid HIV test offered to women in labor proves acceptable and reliable, see **Pregnancy and Childbirth.**

Sexual practices, risk perception and knowledge of sexually transmitted disease risk among lesbian and bisexual women, see **Sexual Behavior.**

Some studies may underestimate condom's role in STD prevention, see **Barrier Methods.**

STD test just a click away, FYI, p. 60.

Unprotected anal sex is not uncommon among men with HIV infection, see **Sexual Behavior.**

Watch your mouth, FYI, p. 5.

Sterilization
No sterilization after all, FYI, p. 109.

Teenagers
Accounting for abstinence, FYI, p. 5.

Adding a skills-based component to STD prevention efforts may increase their success among teenagers, Digest, p. 157.

Adolescent partner-type experience: psychosocial and behavioral differences, Rosengard C, Adler NE, Gurvey JE and Ellen JM, p. 141.

Availability of services for emergency contraceptive pills at high school–based health centers, see **Emergency Contraception.**

Cost of no confidentiality, FYI, p. 5.

Detention facilities offer a window to screen youth at high risk for STDs, see **Sexually Transmitted Diseases.**

Differences in early romantic relationships do not account for racial gap in youths' marital expectations, Digest, p. 205.

Early first sex may not lead to increased STD risk during young adulthood, Digest, p. 158.

Evaluation of a peer provider reproductive health service model for adolescents, see

Evaluation of Programs.

Many parents of teenagers think parental involvement laws will increase risks, Digest, p. 100.

Many young teenagers consider oral sex more acceptable and less risky than vaginal intercourse, Digest, p. 155.

Neighborhood context and sexual behaviors among adolescents: findings from the National Longitudinal Study of Adolescent Health, Cubbin C, Santelli J, Brindis CD and Braveman P, p. 125.

Opportunities for action: addressing Latina sexual and reproductive health, see **Service Providers.**

Presumed knowledge is not power, FYI, p. 61.

Protective factors are not multipurpose, FYI, p. 108.

Saving Sex for Later: an evaluation of a parent education intervention, see **Evaluation of Programs.**

Sexual intentions of black preadolescents: associations with risk and adaptive behaviors, Forehand R, Gound M, Kotchick BA, Armistead L, Long N and Miller KS, p. 13.

Social factors may explain why youth who move are at risk of sexual initiation, Digest, p. 156.

Teenagers, dating violence and disease, FYI, p. 164.

Teenagers' sexual behavior might become more risky if parents had to know of family planning clinic visits, Digest, p. 102.

Worksite-based parenting programs to promote healthy adolescent sexual development: a qualitative study of feasibility and potential content, Eastman KL, Corona R, Ryan GW, Warsofsky AL and Schuster MA, p. 62.

Young women victimized in adolescence are at risk of further sexual violence, Digest, p. 50.

Youth assets and sexual risk behavior: the importance of assets for youth residing in one-parent households, Oman RF, Vesely SK and Aspy CB, p. 25.

AUTHOR INDEX

Adler NE, see Rosengard C.

Agronick G, see O'Donnell L.

Armistead L, see Forehand R.

Aspy CB, see Oman RF.

Ault KA, see Einwalter LA.

Bauer GR and Wayne LD, Cultural sensitivity and research involving sexual minorities, Viewpoint, p. 45.

Bingham A, see Marrazzo JM.

Bobrova N, Sergeev O, Grechukhina T and Kapiga S, Social-cognitive predictors of consistent condom use among young people in Moscow, p. 174.

Braveman P, see Cubbin C.

Breitkopf CR, Pearson HC and Breitkopf DM, Poor knowledge regarding the Pap test among low-income women undergoing routine screening, p. 78.

Breitkopf DM, see Breitkopf CR.

Brindis CD, Geierstanger SP, Wilcox N, McCarter V and Hubbard A, Evaluation of a peer provider reproductive health service model for adolescents, p. 85.

Brindis CD, see Cubbin C.

Chen H, see Green-Raleigh K.

Clarke JG, see Rosengard C.

Coffey P, see Marrazzo JM.

Corona R, see Eastman KL.

Coventry B, see McCarthy SK.

Crosby RA, see Yarber WL.

Cubbin C, Santelli J, Brindis CD and Braveman P, Neighborhood context and sexual behaviors among adolescents: findings from the National Longitudinal Study of Adolescent Health, p. 125.

DaSilva K, see Rosengard C.

Dauphinee LA, see Finer LB.

Devine O, see Green-Raleigh K.

Donoso R, see Foulkes R.

Duran R, see O'Donnell L.

Eastman KL, Corona R, Ryan GW, Warsofsky AL and Schuster MA, Worksite-based parenting programs to promote healthy adolescent sexual development: a qualitative study of feasibility and potential content, p. 62.

Einwalter LA, Ritchie JM, Ault KA and Smith EM, Gonorrhea and chlamydia infection among women visiting family planning clinics: racial variation in prevalence and predictors, p. 135.

Ellen JM, see Rosengard C.

Finer LB, Frohwirth LF, Dauphinee LA, Singh S and Moore AM, Reasons U.S. women have abortions: quantitative and qualitative perspectives, p. 110.

Forehand R, Gound M, Kotchick BA, Armistead L, Long N and Miller KS, Sexual intentions of black preadolescents: associations with risk and adaptive behaviors, p. 13.

Foulkes R, Donoso R, Fredrick B, Frost J and Singh S, Opportunities for action: addressing Latina sexual and reproductive health, Special Report, p. 39.

Fredrick B, see Foulkes R.

Frohwirth LF, see Finer LB.

Frost J, see Foulkes R.

Geierstanger SP, see Brindis CD.

Gound M, see Forehand R.

Grechukhina T, see Bobrova N.

Green-Raleigh K, Lawrence JM, Chen H, Devine O and Prue C, Pregnancy planning status and health behaviors among nonpregnant women in a California managed health care organization, p. 179.

Gurvey JE, see Rosengard C.

Hebert M, see Rosengard C.

Hellerstedt WL, see Van Riper KK.

Henderson JT, see Hwang AC.

Huang C-C, Pregnancy intention from men's perspectives: does child support enforcement matter? p. 119.

Hubbard A, see Brindis CD.

Hwang AC, Koyama A, Taylor D, Henderson JT and Miller S, Advanced practice clinicians' interest in providing medical abortion: results of a California survey, p. 92.

Jeanbaptiste V, see O'Donnell L.

Jones RK, Singh S and Purcell A, Parent-child relations among minor females attending U.S. family planning clinics, p. 192.

Kapiga S, see Bobrova N.

Kotchick BA, see Forehand R.

Koyama A, see Hwang AC.

Lawrence JM, see Green-Raleigh K.

Long N, see Forehand R.

Marrazzo JM, Coffey P and Bingham A, Sexual practices, risk perception and knowledge of sexually transmitted disease risk among lesbian and bisexual women, p. 6.

McCarter V, see Brindis CD.

McCarthy SK, Telljohann SK, Coventry B and Price J, Availability of services for emergency contraceptive pills at high school–based health centers, p. 70.

Milhausen RR, see Yarber WL.

Miller KS, see Forehand R.

Miller S, see Hwang AC.

Moore AM, see Finer LB.

O'Donnell L, Stueve A, Agronick G, Wilson-Simmons R, Duran R and Jeanbaptiste V, Saving Sex for Later: an evaluation of a parent education intervention, p. 166.

Oman RF, Vesely SK and Aspy CB, Youth assets and sexual risk behavior: the importance of assets for youth residing in one-parent households, p. 25.

Paton D, Confidential services for teenagers, Letters, p. 54.

Pearson HC, see Breitkopf CR.

Poindexter AN III, see Sangi-Haghpeykar H.

Posner SF, see Sangi-Haghpeykar H.

Price J, see McCarthy SK.

Prue C, see Green-Raleigh K.

Purcell A, see Jones RK.

Ritchie JM, see Einwalter LA.

Rose J, see Rosengard C.

Rosengard C, Adler NE, Gurvey JE and Ellen JM, Adolescent partner-type experience: psychosocial and behavioral differences, p. 141.

Rosengard C, Clarke JG, DaSilva K, Hebert M, Rose J and Stein MD, Correlates of partner-specific condom use intentions among incarcerated women in Rhode Island, p. 32.

Ryan GW, see Eastman KL.

Sangi-Haghpeykar H, Posner SF and Poindexter AN III, Consistency of condom use among low-income hormonal contraceptive users, p. 184.

Santelli J, see Cubbin C.

Schuster MA, see Eastman KL.

Sergeev O, see Bobrova N.

Singh S, see Finer LB, Foulkes R and Jones RK.

Smith EM, see Einwalter LA.

Stein MD, see Rosengard C.

Stueve A, see O'Donnell L.

Taylor D, see Hwang AC.

Telljohann SK, see McCarthy SK.

Torabi MR, see Yarber WL.

Van Riper KK and Hellerstedt WL, Emergency contraceptive pills: dispensing practices, knowledge and attitudes of South Dakota pharmacists, p. 19.

Vesely SK, see Oman RF.

Warsofsky AL, see Eastman KL.

Wayne LD, see Bauer GR.

Wilcox N, see Brindis CD.

Wilson-Simmons R, see O'Donnell L.

Yarber WL, Milhausen RR, Crosby RA and Torabi MR, Public opinion about condoms for HIV and STD prevention: a Midwestern state telephone survey, p. 148.

Statement of Ownership, Management and Circulation

Title of publication: *Perspectives on Sexual and Reproductive Health.* **Publication no.:** 080-470. **Date of filing:** Sept. 13, 2005. **Frequency of issue:** Quarterly. **No. of issues published annually:** Four (4). **Annual subscription price:** Individuals, $42.00; institutions, $52.00. **Complete mailing address of known office of publication:** 120 Wall Street, New York, NY 10005. **Complete mailing address of the headquarters or general business offices of the publisher:** Same as above. **Publisher:** The Alan Guttmacher Institute, same address as above. **Editor:** Patricia Donovan, same address as above. **Owner:** The Alan Guttmacher Institute. **Known bondholders, mortgagees, and other security holders owning or holding 1 percent or more of total amount of bonds, mortgages or other securities:** None.

The purpose, function, and nonprofit status of this organization and the exempt status for federal income tax purposes have not changed during preceding 12 months.

Extent and nature of circulation	Avg. no. copies of each issue during preceding 12 mos.	Actual no. copies of single issue published nearest to filing date
Total no. copies	5,900	5,500
Paid and/or requested circulation		
Mail subscription (paid and/or requested)	4,346	4,416
Other classes mailed through the USPS	0	0
Total	4,346	4,416
Free distribution by mail, carrier or other means (samples, complimentary and other free copies)	980	971
Total distribution	5,326	5,387
Copies not distributed		
Office use, left over, unaccounted for, spoiled after printing	574	113
Return from news agents	0	0
Total	5,900	5,500
Percent paid and/or requested circulation	81.60%	81.98%

I certify that the statements made by me above are correct and complete.

Patricia Donovan, Editor